


# LASERLIGHT SMD W-IR

WHITE & INFRARED LIGHT  
DUAL CHANNEL EMITTER



Part Numbers: 910-00014/16/18-TR LaserLight SMD  
and 910-00015/17/19-IT SMD on Star MCPCB

## PRODUCT OVERVIEW

LaserLight SMD W-IR by SLD Laser is the world's first switchable, dual channel, high luminance, white laser light combined with Infrared emission from the same point source. Featuring 450 lumens, 1000 Mcd/m<sup>2</sup> and 250mW IR in a compact 7mm SMD, LaserLight SMD enables ultra-long throw distance and small optic sizes for specialty lighting applications.

## SLDLASER

### LIGHTING APPLICATIONS

- Lighting & Infrared Illumination
- Outdoor & Portable
- Automotive
- Search & Rescue, Security

### FEATURES & BENEFITS

- World's highest white light luminance 1000 Mcd/m<sup>2</sup>
- Infrared emission (switchable from same point source)
- Enables less than 2 degree beam angle from 35mm optic
- Compact 7mm SMD with built-in safety features

Brighter. Smaller. Safer.



# LASERLIGHT SMD

## WHITE LIGHT EMITTER

PRODUCT  
SPECIFICATIONS  
SUMMARY

### PRODUCT CHARACTERISTICS

Parameter	Units	Typical Value
<b>White Light Channel</b>		
Luminous Output	lm	450
Emitting Region (dia.)	mm	0.35
Luminance	Mcd/m <sup>2</sup>	1000
Color Temperature (CCT)	K	6000
Color Rendering Index	CRI	70
Forward Current	A	2.3
Forward Voltage	V	5.0


### Infrared Channel

Dominant wavelength	nm	850, 905, 940
Output Power	mW	250
Emitting Region (dia.)	mm	0.5
Forward Current	A	1.0
Forward Voltage	V	1.8


### Mechanical Characteristics

Package Dimensions	mm	7.0 sq x 2.6
Max oper. temp. (case)	°C	50
Viewing Angle	deg.	120

### SPECTRAL POWER DISTRIBUTIONS



Device may be switched between spectra or both simultaneous



+1.866.753.5273 | [info@KYOCERA-SLDLaser.com](mailto:info@KYOCERA-SLDLaser.com)  
[www.KYOCERA-SLDLaser.com](http://www.KYOCERA-SLDLaser.com)

### ABOUT KYOCERA SLD LASER, INC.

KYOCERA SLD Laser, Inc. is commercializing a new generation of visible laser sources for display, automotive, and specialty applications. SLD Laser's visible laser light sources are used directly in single color and R-G-B applications, or integrated into laser pumped phosphor architectures. These sources enable applications in a myriad of vertical markets, including: general lighting, automotive headlights, projection displays, defense pointers & illuminators, biomedical instrumentation & therapeutics, and industrial material processing & imaging applications. SLD Laser was founded by several leading global pioneers in solid-state lighting, including Dr. Shuji Nakamura, 2014 Nobel Laureate in Physics, Dr. Steve Denbaars, Dr. James Raring, and Dr. Paul Rudy. SLD Laser operates fabrication facilities in California's Silicon Valley and Santa Barbara, CA.

All rights reserved. Product specifications are subject to change without notice. Revised 1/21

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Kyocera AVX:](#)

[910-00014-WF](#) [910-00015-IT](#) [910-00016-WF](#) [910-00017-IT](#)