

Industrial

Compact 6240 Series Keyboards



Compact Keyboards with Integrated Touchpad for Industrial Applications

Main Applications

- Rack Mount Systems
- Airlines
- Education/Schools
- Banking
- Medical Equipment
- Automotive Equipment
- POS/POT
- Office/Data Entry
- White Box PCs
- Field Services
- Test Equipment
- Kiosk Applications
- POS/POT
- Manufacturing
- Transport

Key Features

- Full QWERTY Key Layout in Compact 14" Form Factor Combines Maximal Space Efficiency with Uncompromised Alphanumeric Data Entry
- Enhanced US 106 Position Key Layout
- Robust Product Design with IP 54 Spill and Dust Resistant Key Field for Harsh Environments
- Touchpad Ensures Easy Cursor Navigation with Minimal Desktop Surface
- Yellow Status LEDs for Improved Visibility in Rooms with Artificial Illumination
- Numeric Pad includes "00" Key for Fast Currency Typing

Part Numbers

G86-62401EUADAA
Black

G86-62401EUAEAA
Lt. grey

Industrial

Compact 6240 Series Keyboards

Technical Data

Interface	USB 2.0	Storage Temperature	-20°C to 60°C
Current Input	typ. 35 mA	Operating Temperature	0°C to 50°C
Touchpad	Resolution: 1000 dpi Two switch-activated mouse buttons	Approvals	cURus, FCC, CE, BSMI, VCCI, C-Tick, GOST-R, WHQL
Cable Length	Approx. 1.85 m	Delivery Volume	Keyboard, Quick Guide, CDROM
Key Layout	Compact size 106 position US key layout including Windows keys	Warranty	2 years
Weight (without/with packaging)	1.4 kg/1.6 kg	For information on repairs or warranty status contact: Cherry Technical Support Phone: 800.510.1689 E-Mail: keyboardsupport@cherrycorp.com	
Dimension	360 x 198 x 38 mm (keyboard) 415 x 260 x 50 mm (packaging)		
Packaging Units	25 per master carton 8 master cartons per pallet		
Keyswitch Lifetime	25 million operations		

Contact

Call, fax or visit our website for more information.

Last Update: 2/23/10

ZF Electronics Corporation

11200 88th Avenue
Pleasant Prairie, WI 53158
Phone: 262.942.6500
Web: www.cherrycorp.com
E-Mail: cep_sales@zf.com
Fax: 262.942.6566

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice.

Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

© 2007 ZF Electronics Corporation

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[CHERRY](#):

[G86-62401EUADAA](#) [G86-62401EUAEEA](#)